

Turkey

Tuberculosis case notifications, 2006

Total number of cases	20 526
Notification rate per 100 000	27.8
Sex ratio (M:F)	1.8
Median age-group, all cases	25-34 years
Median age-group, non-nationals	25-34 years
Foreign citizens	118 (0.6%)
New (never-treated)	18 544 (90.3%)
Culture positive	6 786 (33.1%)
Pulmonary	14 740 (71.8%)
of which sputum smear positive	9 132 (62.0%)
HIV positive TB cases	-
TB deaths per 100 000	-







Drug Resistance Surveillance, 2006

Geographic coverage	National *
International proficiency testing	Yes (2003)
Case-linked data reporting	Yes
Cases with DST results	4 846
Cases resistant to isoniazid	613 (12.6%)
Cases resistant to rifampicin	326 (6.7%)
MDR cases	249 (5.1%)
Cases resistant to ethambutol	241 (5.0%)
Cases resistant to streptomycin	469 (9.7%)

* Data representativeness unknown

Treatment Outcome Monitoring, 2005

Geographic coverage	National
Outcome cohort	All pulmonary smear positive
Case-linked data reporting	Yes
Included in TOM cohort	8 505
Success	7 390 (87%)
Died	227 (3%)
Failed	70 (1%)
Still on treatment	210 (2%)
Lost to follow up	608 (7%)



‡ No data for 2001-2004

§ Data representativeness unknown in 2002; smear cohort in 2005